

IBM System/370

EQUIPMENT PRICES

		<u>Purchase Price</u>	<u>Monthly Maint.</u>	<u>Rental (short-term lease)*</u>	<u>Rental (4-year lease)*</u>
PROCESSORS AND MAIN STORAGE					
3115	Processing Unit (for Model 115 system):				
	Model F; 65,536 bytes	78,150	309.00	2,712	2,465
	Model FE; 98,304 bytes	80,500	314.00	2,833	2,575
	Model G; 131,072 bytes	82,850	319.00	2,954	2,685
	Model GE; 163,840 bytes	85,200	326.00	3,075	2,795
	Model GF; 196,608 bytes	91,000	337.00	3,286	2,990
3115-2	Processing Unit (for Model 115-2 system):				
	Model F2; 65,536 bytes	102,550	362.00	3,564	3,240
	Model FE2; 98,304 bytes	104,900	368.00	3,685	3,350
	Model G2; 131,072 bytes	107,250	373.00	3,806	3,460
	Model GE2; 163,840 bytes	109,600	378.00	3,927	3,570
	Model GF2; 196,608 bytes	111,950	383.00	4,048	3,680
	Model H2; 262,144 bytes	116,650	394.00	4,290	3,900
	Model HG2; 393,216 bytes	129,950	420.00	4,879	4,435
3125	Processing Unit (for Model 125 system):				
	Model FE; 98,304 bytes	129,050	382.00	4,494	4,085
	Model G; 131,072 bytes	131,400	387.00	4,615	4,195
	Model GE; 163,840 bytes	133,750	394.00	4,736	4,305
	Model GF; 196,608 bytes	136,100	399.00	4,857	4,415
	Model H; 262,144 bytes	140,800	411.00	5,099	4,635
3125-2	Processing Unit (for Model 125-2 system):				
	Model FE2; 98,304 bytes	145,300	429.00	5,066	4,605
	Model G2; 131,072 bytes	147,650	435.00	5,187	4,715
	Model GE2; 163,840 bytes	150,000	440.00	5,308	4,825
	Model GF2; 196,608 bytes	152,350	446.00	5,429	4,935
	Model H2; 262,144 bytes	157,050	457.00	5,671	5,155
	Model HG2; 393,216 bytes	170,350	484.00	6,260	5,690
	Model I2; 524,288 bytes	179,750	506.00	6,744	6,130
3138	Processing Unit (for Model 138 system):				
	Model I; 524,288 bytes	222,900	1,275.00	10,076	9,160
	Model J; 1,048,576 bytes	260,400	1,335.00	11,396	10,545
3046	Power Unit (required for 3135, 3135-3, or 3138)	10,860	30.00	373	339
3148	Processing Unit (for Model 148 system):				
	Model J; 1,048,576 bytes	438,750	2,235.00	19,943	18,130
	Model K; 2,097,152 bytes	513,750	2,405.00	22,983	20,900
3155**	Processing Unit (for Model 155 system; requires 3360 Mod. 1, 2, or 3 Processor Storage)				
	Model H; 262,144 bytes	1,017,300	1,675.00	22,230	—
	Model HG; 393,216 bytes	1,018,500	1,675.00	22,270	—
	Model I; 524,288 bytes	1,019,700	1,675.00	22,300	—
	Model IH; 786,432 bytes	1,044,600	1,690.00	22,830	—
	Model J; 1,048,576 bytes	1,047,000	1,690.00	22,900	—
	Model JI; 1,572,964 bytes	1,134,900	1,740.00	24,780	—
	Model K; 2,097,152 bytes	1,162,200	1,745.00	25,370	—
3360**	Processor Storage (for Model 155):				
	Model 1; 262,144 bytes	139,300	207.00	3,060	—
	Model 2; 393,216 bytes	209,000	310.00	4,590	—
	Model 3; 524,288 bytes	279,700	413.00	6,120	—
3158	Processing Unit (for Model 158 system; includes semiconductor main storage as indicated):				
	Model I; 524,288 bytes	1,295,200	2,315.00	40,018	36,380
	Model J; 1,048,576 bytes	1,332,700	2,385.00	41,538	37,765
	Model JI; 1,572,864 bytes	1,370,200	2,455.00	43,508	39,150
	Model K; 2,097,152 bytes	1,407,700	2,525.00	44,578	40,535
	Model KJ; 3,145,728 bytes	1,497,700	2,735.00	48,138	43,775
	Model L; 4,194,304 bytes	1,572,700	2,875.00	51,178	46,545
	Model LJ; 5,242,880 bytes	1,647,700	3,015.00	54,218	49,315
	Model LK; 6,291,456 bytes	1,722,700	3,155.00	57,258	52,085
3158	Processing Unit (for Attached Processing Unit Model 1):				
	Model AP1; 524,288 bytes	1,344,200	2,715.00	41,734	37,940
	Model AP2; 1,048,576 bytes	1,381,700	2,785.00	43,254	39,325
	Model AP3; 1,572,864 bytes	1,419,200	2,855.00	44,774	40,710
	Model AP4; 2,097,152 bytes	1,456,700	2,925.00	46,294	42,095
	Model AP5; 3,145,728 bytes	1,546,700	3,135.00	49,854	45,335
	Model AP6; 4,194,304 bytes	1,621,700	3,275.00	52,894	48,105
	Model AP7; 5,242,880 bytes	1,696,700	3,415.00	55,934	50,875
	Model AP8; 6,291,456 bytes	1,771,700	3,555.00	58,974	53,645
3158 MP	For Model 158 MP (multiprocessing) systems:				
	Model MP1; 524,288 bytes	1,423,200	2,385.00	43,824	39,840
	Model MP2; 1,048,576 bytes	1,460,700	2,455.00	45,344	41,225
	Model MP3; 1,572,864 bytes	1,498,200	2,525.00	46,864	42,610
	Model MP4; 2,097,152 bytes	1,535,700	2,595.00	48,384	43,995
	Model MP5; 3,145,728 bytes	1,625,700	2,805.00	51,944	47,235
	Model MP6; 4,194,304 bytes	1,700,700	2,945.00	54,984	50,005

*Rental prices include equipment maintenance.

**Sold on an as-available basis only.

IBM System/370

EQUIPMENT PRICES

		<u>Purchase Price</u>	<u>Monthly Maint.</u>	<u>Rental (short-term lease)*</u>	<u>Rental (4-year lease)*</u>
PROCESSORS AND MAIN STORAGE (Continued)					
3158-3	Uniprocessor Models:				
	Model U31; 524,288 bytes	1,381,000	2,360.00	44,385	40,350
	Model U32; 1,048,576 bytes	1,418,600	2,430.00	45,905	41,735
	Model U33; 1,572,684 bytes	1,456,100	2,500.00	47,425	43,120
	Model U34; 2,097,152 bytes	1,493,600	2,570.00	48,945	44,505
	Model U35; 3,145,728 bytes	1,583,600	2,780.00	52,505	47,745
	Model U36; 4,194,304 bytes	1,658,600	2,920.00	55,545	50,515
	Model U37; 5,242,880 bytes	1,733,600	3,060.00	58,585	53,285
	Model U38; 6,291,456 bytes	1,808,600	3,200.00	61,625	56,055
3158-3	Processing Unit (for Attached Processing Unit Model 1):				
	Model A31; 524,288 bytes	1,430,100	2,760.00	46,101	41,910
	Model A32; 1,048,576 bytes	1,467,600	2,830.00	47,621	43,295
	Model A33; 1,572,864 bytes	1,505,100	2,900.00	49,141	44,680
	Model A34; 2,097,152 bytes	1,542,600	2,970.00	50,661	46,065
	Model A35; 3,145,728 bytes	1,632,600	3,180.00	54,221	49,305
	Model A36; 4,194,304 bytes	1,707,600	3,320.00	57,261	52,075
	Model A37; 5,242,880 bytes	1,782,600	3,460.00	60,301	54,845
	Model A38; 6,291,456 bytes	1,857,600	3,600.00	63,341	57,615
3158-3	Multiprocessor Models:				
	Model M31; 524,288 bytes	1,509,100	2,430.00	48,191	43,810
	Model M32; 1,048,576 bytes	1,546,600	2,500.00	49,711	45,195
	Model M33; 1,572,864 bytes	1,584,100	2,570.00	51,231	46,580
	Model M34; 2,097,152 bytes	1,621,600	2,640.00	52,751	47,965
	Model M35; 3,145,728 bytes	1,711,600	2,850.00	56,311	51,205
	Model M36; 4,194,304 bytes	1,786,600	2,990.00	59,351	53,975
	Model M37; 5,242,880 bytes	1,861,600	3,130.00	62,391	56,745
	Model M38; 6,291,456 bytes	1,936,600	3,270.00	65,431	59,515
3052-1	Attached Processing Unit (for Model 158 APS)	380,000	2,200.00	12,670	12,090
5552	Storage Attach Feature	2,700	15.00	90	85
3056-1	Remote System Console	20,800	10.00	545	520
3058-1	Multisystem Unit (required in Model 158 MP systems)	46,990	21.50	1,370	1,305
4600	I/O Assignment Switch Expansion (for 3058)	5,495	1.00	112	106
3165**	Processing Unit (for Model 165 system, requires 3360 Mod. 4 or 5 Processor Storage):				
	Model I; 524,288 bytes	1,814,600	2,790.00	39,670	—
	Model J; 1,048,576 bytes	1,819,900	2,800.00	39,790	—
	Model JI; 1,572,864 bytes	1,841,900	2,835.00	40,280	—
	Model K; 2,097,152 bytes	1,858,200	2,885.00	40,610	—
	Model KJ; 3,145,728 bytes	1,913,100	2,980.00	41,810	—
NOTE:	A purchased Model 155 Processing Unit can be converted into a Model 155-II by field installation of the Dynamic Address Translation facility at a one-time charge of \$200,000 and a \$630 increase in the monthly maintenance charge. A purchased Model 165 can be similarly converted into a Model 165-II at a one-time charge of \$400,000 and a \$1,000 increase in the monthly maintenance charge.				
3066-1**	System Console; provides switches, lights, display, and control functions (required in Model 165 system)	128,150	552.00	4,015	—
3067-1**	Power and Coolant Distribution Unit (required in Model 165 system)	95,130	131.00	2,966	—
9447	208/230-volt Motor Generator Set (for Model 165)	16,860	—	—	Purchase only
9449	440-volt Motor Generator Set (for Model 165)	16,860	—	—	Purchase only
3360	Processor Storage (for Model 165):				
	Model 4; 262,144 bytes	139,300	187.00	3,060	—
	Model 5; 524,288 bytes	279,700	372.00	6,120	—
3168	Processing Unit (for Model 168 system; includes semiconductor main storage as indicated):				
	Model J; 1,048,576 bytes	2,094,500	5,070.00	64,691	58,810
	Model K; 2,097,152 bytes	2,169,500	5,210.00	67,731	61,580
	Model KJ; 3,145,728 bytes	2,244,500	5,350.00	70,771	64,350
	Model L; 4,194,304 bytes	2,321,500	5,500.00	73,811	67,180
	Model LJ; 5,242,860 bytes	2,411,500	5,710.00	77,441	70,420
	Model LK; 6,291,456 bytes	2,486,500	5,850.00	80,481	73,190
	Model LKJ; 7,340,032 bytes	2,561,500	5,990.00	83,521	75,960
	Model M; 8,388,608 bytes	2,636,500	6,130.00	86,561	78,730
3168 MP	For Model 168 MP (multiprocessing systems):				
	Model MP1; 1,048,576 bytes	2,158,100	5,080.00	66,638	60,580
	Model MP2; 2,097,152 bytes	2,233,100	5,220.00	69,678	63,350
	Model MP3; 3,145,728 bytes	2,308,100	5,360.00	72,718	66,120
	Model MP4; 4,194,304 bytes	2,385,100	5,510.00	75,828	68,950
	Model MP5; 5,242,860 bytes	2,475,100	5,720.00	79,388	72,190
	Model MP6; 6,291,456 bytes	2,550,100	5,860.00	82,428	74,960
	Model MP7; 7,340,032 bytes	2,625,100	6,000.00	85,468	77,730
	Model MP8; 8,388,608 bytes	2,700,100	6,140.00	88,508	80,500

*Rental prices include equipment maintenance.
**Sold on an as-available basis only.

IBM System/370

EQUIPMENT PRICES

		<u>Purchase Price</u>	<u>Monthly Maint.</u>	<u>Rental (short-term lease)*</u>	<u>Rental (4-year lease)*</u>
PROCESSORS AND MAIN STORAGE (Continued)					
3168-3	Uniprocessor Models:				
	Model U31; 1,048,576 bytes	2,311,700	5,180.00	74,459	67,690
	Model U32; 2,097,152 bytes	2,386,700	5,320.00	77,499	70,460
	Model U33; 3,145,728 bytes	2,461,700	5,460.00	80,539	73,230
	Model U34; 4,194,304 bytes	2,538,700	5,610.00	83,649	76,060
	Model U35; 5,242,880 bytes	2,628,700	5,820.00	87,299	79,300
	Model U36; 6,291,456 bytes	2,703,700	5,960.00	90,249	82,070
	Model U37; 7,340,032 bytes	2,778,700	6,100.00	93,289	84,840
	Model U38; 8,388,608 bytes	2,853,700	6,240.00	96,329	87,610
3168-3	Multiprocessor Models:				
	Model M31; 1,048,576 bytes	2,375,300	5,190.00	76,406	69,460
	Model M32; 2,097,152 bytes	2,450,300	5,330.00	79,446	72,230
	Model M33; 3,145,728 bytes	2,525,300	5,470.00	82,486	75,000
	Model M34; 4,194,304 bytes	2,602,300	5,620.00	85,596	77,830
	Model M35; 5,242,800 bytes	2,692,300	5,830.00	89,156	81,070
	Model M36; 6,291,456 bytes	2,767,300	5,970.00	92,196	83,840
	Model M37; 7,340,032 bytes	2,842,300	6,110.00	95,236	86,610
	Model M38; 8,388,608 bytes	2,917,300	6,250.00	98,276	89,380
3168-3	Attached Processor System:				
	Model A31; 1,048,576 bytes	2,357,400	5,600.00	76,546	69,590
	Model A32; 2,097,152 bytes	2,432,200	5,740.00	79,586	72,360
	Model A33; 3,145,728 bytes	2,507,200	5,880.00	82,626	75,130
	Model A34; 4,194,304 bytes	2,584,200	6,030.00	85,736	77,960
	Model A35; 5,242,880 bytes	2,674,200	6,240.00	89,296	81,200
	Model A36; 6,291,456 bytes	2,749,200	6,380.00	92,336	83,970
	Model A37; 7,340,032 bytes	2,824,200	6,520.00	95,376	86,740
	Model A38; 8,388,608 bytes	2,899,200	6,660.00	98,416	89,510
2860	Selector Channel (for Models 165 and 168):				
	Mod. 1; one channel	112,050	66.50	2,519	2,290
	Mod. 2; two channels	159,600	108.00	3,586	3,260
	Mod. 3; three channels	206,600	151.00	4,675	4,250
1850	Channel-to-Channel Adapter (for 2860)	10,820	4.00	268	244
	Channel Indirect Data Addressing (required on 2860 for operation in Extended Control mode):				
1861	For 2860 Model 1	7,995	2.00	179	163
1862	For 2860 Model 2	15,940	3.00	359	326
1863	For 2860 Model 3	23,910	5.50	540	491
4597	High-Speed Direct Access Storage Priority	340	2.00	16	15
7850	3803 Model 2 Attachment	1,140	1.00	23	22
4611-4613	Isolation on the 2860 Channel	No charge	No charge	No charge	No charge
4621-4623	Isolation on Channel to Channel Adapter	No charge	No charge	No charge	No charge
1095	Address Prefixing	1,930	2.00	46	42
2870	Byte Multiplexer Channel (for Models 165 and 168):	117,900	166.00	2,624	2,385
6990	Selector Subchannel—First (for 2870)	19,870	25.00	480	436
6991	Selector Subchannel—Second (for 2870)	12,010	15.50	299	272
6992	Selector Subchannel—Third (for 2870)	12,010	15.50	299	272
6993	Selector Subchannel—Fourth (for 2870)	12,010	15.50	299	272
1861	Channel Indirect Data Addressing (required on 2870 for operation in Extended Control mode)	10,790	2.50	239	217
1095	Address Prefixing	5,565	4.00	135	123
4600-4601	Isolation, Channel to Channel Unit	No charge	No charge	No charge	No charge
2880	Block Multiplexer Channel (for Models 165 and 168):				
	Mod. 1; one channel	121,850	288.00	3,889	3,535
	Mod. 2; two channels	174,500	382.00	5,572	5,065
	Channel Indirect Data Addressing (required on 2880 for operation in Extended Control mode):				
1861	For 2880 Model 1	5,650	1.00	179	163
1862	For 2880 Model 2	11,240	2.00	359	326
3851-3852	Extended Unit Control Words	13,100	4.50	435	395
	Two-Byte Interface (required on 2880 for attachment of 2305 Model 1 Fixed-Head Storage):				
7850	For 2880 Model 1 or first Channel of Model 2	14,220	5.50	453	412
7851	For second channel of 2880 Model 2	14,220	5.50	453	412
3062-1	Attached Processing Unit (for Model 168 APS)	1,078,000	5,100.00	55,649	50,590
3066-2	System Console; provides switches, lights, and control functions (required in Model 168 system)	128,150	552.00	4,015	3,650
3066-3	System Console; provides switches, lights, and control functions (required in 3062-1)	132,700	562.00	4,158	3,780
3067-2	Power and Coolant Distribution Unit (required in Model 168 system)	95,130	131.00	2,966	2,696
3067-3	Power and Coolant Distribution Unit (required in Model 168-3 system)	96,360	132.00	3,014	2,740
3067-5	Power and Coolant Distribution Unit (required in 3062-1 APU)	95,130	131.00	2,965	2,695
4525	High-Speed Multiply for 3066-2	589	No charge	10	10
5050	Multiprocessing Feature	4,475	1.00	94	85
5760	Power Warning	5,725	1.00	149	135
7127	7070/7074 Compatibility	262	No charge	5	5
7128	7080 Compatibility	262	No charge	5	5
7129	709/7090/7094/7094 II Compatibility	262	No charge	5	5

*Rental prices include equipment maintenance.

**Sold on an as-available basis only.

IBM System/370

EQUIPMENT PRICES

		Purchase Price	Monthly Maint.	Rental (short-term lease)*	Rental (4-year lease)*
PROCESSORS AND MAIN STORAGE (Continued)					
4525	High-Speed Multiply for 3067	7,105	5.00	155	141
5050	Multiprocessing Feature (for 3067-2)	16,720	23.00	359	326
3068	Multisystem Communication Unit (required in Model 168 MP systems)	500,800	387.00	15,312	13,920
3850	Extended Storage Attachment (required on 3068 if either processor has over 4194K bytes)	6,875	No charge	147	134
4600	I/O Assignment Switch Expansion (for 3068)	5,495	1.00	117	106
9447	208/230-volt Motor Generator Set (for Model 168)	16,860	—	Purchase only	Purchase only
9449	440-volt Motor Generator Set (for Model 168)	16,860	—	Purchase only	Purchase only
PROCESSOR FEATURES AND CHANNELS					
For 3115 Processing Unit (Models 115 and 115-2)					
3898	External Signals Feature	4,125	1.00	114	104
3910	Floating Point Feature, including Extended Precision	No charge	No charge	No charge	No charge
4101	4K Control Storage Extension	1,335	1.50	57	52
4650	Integrated 3203 Printer Attachment	2,515	7.50	87	79
4653	Integrated 3203/5203 Printer Attachment (prerequisite for Feature 4650 or 4690)	2,585	8.50	92	84
4670	Integrated 2560 MFCM Attachment	5,780	11.50	160	145
4674	2560 Card Print Control	1,235	2.00	34	31
4675	3411 Magnetic Tape Adapter	4,125	3.00	114	104
4690	Integrated 5203 Model 3 Printer Attachment	3,145	7.50	87	79
4692	Integrated 5213 Model 1 Printer Attachment	4,125	3.00	114	104
4695	Integrated 5425 MFCU Attachment	5,780	19.50	160	145
5248	Basic Byte Multiplexer Channel	7,865	20.50	218	198
7520	System/360 Model 20 Compatibility	No charge	No charge	No charge	No charge
4457	1401/1440/1460 Compatibility	No charge	No charge	No charge	No charge
4460	1403/3203 Carriage Control Feature	No charge	No charge	No charge	No charge
8005	1052 Compatibility	No charge	No charge	No charge	No charge
8060	2311 Model 1/3340 Series Compatibility	No charge	No charge	No charge	No charge
8070	2314/3340 Series Compatibility	No charge	No charge	No charge	No charge
4640	Integrated Communications Adapter (for 3115)	8,460	25.50	235	214
4641	Integrated Communications Adapter Extension	3,105	1.50	87	79
1201	Asynchronous Line Group	1,660	3.00	45	41
1231	Asynchronous Line, Medium Speed	1,660	2.50	45	41
1241	Asynchronous Line Pair, Low Speed	2,255	3.50	63	57
1291, 1292	Auto Call Adapter (line position A1 or A2)	808	1.50	22	20
1295, 1296	Auto Call Adapter (line position S1 or S2)	808	1.50	22	20
4743	IBM Leased Line Adapter	417	2.50	15	14
IBM 1200-bps Line Adapters:					
4781	Non-switched	525	2.50	16	15
4782	Switched with Auto-Answer	700	3.00	22	20
4791	Switched with Auto-Answer and Auto-Call	1,935	11.50	74	67
4792	Line Adapter Base 2	1,020	2.00	29	26
4793	Line Adapter Base 3	1,020	2.00	29	26
7100	Synchronous Line Group	1,660	3.00	45	41
7121	Synchronous Line, High Speed	4,125	8.50	114	104
7141-7144	Synchronous Line, Medium Speed, with Clock	2,255	3.50	63	57
7151-7154	Synchronous Line, Medium Speed	1,870	3.00	51	46
7881	Telegraph Line Pair	2,255	9.00	63	57
For 3115 Processing Unit (Model 115 only)					
3900	Floating Point	No charge	No charge	No charge	No charge
4104	8K-byte Control Storage Extension	2,670	3.00	114	104
For 3115-2 Processing Unit (Model 115-2)					
3860	Expansion Base; required on 3115-2 Model H2 systems not equipped with RFQ 7B0132 nad 7B0141 (to allow both native card reader attachment and the multiplexer channel) and on all 3115-2 systems with a Line Adapter Base 2 or Line Adapter Base 3	1,710	1.00	47	43
4102	4K Control Storage Extension	1,335	1.50	57	52
4210	DASF Control Storage Extension (required for string switch capability)	1,335	1.50	57	52
5249	Extended Byte Multiplexer Channel (for 25KB transfer rate); requires 5248 Basic Byte Multiplexer Channel	1,330	3.00	36	33
For 3125 Processing Unit (Models 125 and 125-2)					
3898	External Signals	4,200	1.00	117	106
3910	Floating Point (including Extended Precision)	No charge	No charge	No charge	No charge
4101	First 4K-word Control Storage Increment; 125 only	1,335	1.50	57	52
4102	Second 4K-Word Control Storage Increment; 125 only	1,335	1.50	57	52
4457	1401/1440/1460 Compatibility	No charge	No charge	No charge	No charge
4460	1403/3203 Carriage Control Feature	No charge	No charge	No charge	No charge
4500	5424 Card Unit Power Supply	6,715	14.00	187	170
4505	1403 Printer/5425 Card Unit Power Prerequisite	11,730	39.00	328	298
4650	Integrated 3203 Printer Attachment	5,205	16.50	180	164
4662	Integrated 1403 Model 2 Printer Attachment	434	1.00	10	10
4667	Integrated 1403 Model 2/N1 Printer Attachment	5,455	12.00	152	138
4668	Integrated 1403 Model N1 Printer Attachment	217	1.00	5	5
4670	Integrated 2560 Model A1 MFCM Attachment	5,890	12.00	163	148
4674	2560 Card Print Control	1,250	2.00	34	31
4675	3411 Magnetic Tape Adapter	4,200	3.50	117	106
4680	Integrated 3504 Card Reader Attachment	2,730	8.50	75	68
4685	Integrated 3525 Card Punch Attachment	3,375	11.00	92	84
4692	Integrated 5213 Console Printer Attachment	4,200	3.50	117	106

*Rental prices include equipment maintenance.

IBM System/370

EQUIPMENT PRICES

		<u>Purchase Price</u>	<u>Monthly Maint.</u>	<u>Rental (short-term lease)*</u>	<u>Rental (4-year lease)*</u>
PROCESSOR FEATURES AND CHANNELS (Continued)					
4693	3525 Card Print Control	2,510	3.00	70	64
4695	Integrated 5425 MFCU Attachment	5,890	21.00	163	148
5248	Multiplexer Channel	8,405	24.00	235	214
7520	System/360 Model 20 Compatibility	No charge	No charge	No charge	No charge
8005	1052 Compatibility	No charge	No charge	No charge	No charge
8040 & 8060	2311 Model 1 Compatibility	No charge	No charge	No charge	No charge
8070	2314/3340 Series Compatibility	No charge	No charge	No charge	No charge
4640	Integrated Communications Adapter (for 3125)	8,585	27.50	241	219
4641	Integrated Communications Adapter Extension	3,160	1.50	88	80
1201	Asynchronous Line Group 1 (ALG 1)	1,685	3.50	45	41
1202	Asynchronous Line Group 2 (ALG 2)	1,685	3.50	45	41
1231	Asynchronous Line, Medium Speed, ALG 1	1,685	3.00	45	41
1232	Asynchronous Line, Medium Speed, ALG 2	1,685	3.00	45	41
1241	Asynchronous Line Pair, Low-Speed, ALG 1	2,295	4.00	64	58
1242	Asynchronous Line Pair, Low-Speed, ALG 2	2,295	4.00	64	58
1291-1296	Auto-Call Adapter (per line position)	824	1.50	22	20
4743	IBM Leased Line Adapter	424	3.00	15	14
IBM 1200-bps Line Adapter:					
4781	Non-switched	535	3.00	16	15
4782	Switched with Auto-Answer	714	3.50	21	20
4791	Switched with Auto-Answer and Auto-Call	1,970	12.00	75	68
4792	Line Adapter Base 2	1,035	2.00	29	26
4793	Line Adapter Base 3	1,035	2.00	29	26
7100	Synchronous Line Group	1,685	3.50	45	41
7121	Synchronous Line, High-Speed	4,200	9.00	117	106
7131	Synchronous Line, Low-Load, First	4,200	9.00	117	106
7132	Synchronous Line, Low-Load, Second	4,200	9.00	117	106
7141-7144	Synchronous Line, Medium-Speed with Clock (per line)	2,295	4.00	64	58
7151-7154	Synchronous Line, Medium-Speed (per line)	1,905	3.50	51	46
7881	Telegraph Line Pair, ALG 1	2,295	9.50	64	58
7882	Telegraph Line Pair, ALG 2	2,295	9.50	64	58
5213	Printer; 85 char/sec.	4,840	66.00	179	—
For 3125-2 Processing Unit (Model 125-2):					
4105	8K Control Storage Extension	2,670	3.50	114	104
4210	4K DASD Control Storage Extension	1,335	1.50	57	52
For 3138 Processing Unit (Model 138):					
1290	Autocall	2,180	1.00	58	53
1431	Block Multiplexer Shared Subchannels	No charge	No charge	No charge	No charge
1502	Channel Priority	No charge	No charge	No charge	No charge
3274	Direct Control	5,205	1.00	136	124
3906	128 Additional Multiplexer Subchannels	No charge	No charge	No charge	No charge
3907	256 Additional Multiplexer Subchannels	No charge	No charge	No charge	No charge
4457	1401/1440/1460 Compatibility	No charge	No charge	No charge	No charge
4640	Integrated Communications Adapter (ICA)	9,470	25.00	254	231
4655	3330/3340 Series IFA	19,820	3.00	743	675
4670	Integrated 1403 Printer Adapter Basic Control	19,850	21.50	420	382
4672	Integrated 1403 Printer Model 2 or N1 Attachment	415	.50	10	10
4677	Integrated 1403 Printer Model 7 Attachment	415	.50	10	10
4722	Second Additional Line on ICA	1,900	5.00	48	44
4723	Third Additional Line on ICA	3,815	10.00	99	90
4724	Fourth Additional Line on ICA	1,900	5.00	48	44
4725	Fifth Additional Line on ICA	5,690	16.00	151	137
4726	Sixth Additional Line on ICA	1,900	5.00	48	44
4727	Seventh Additional Line on ICA	1,900	5.00	48	44
4728	Eighth Additional Line on ICA	1,900	5.00	48	44
8070	2314/3340 Compatibility Feature	1,535	No charge	57	52
8075	Integrated 3203-4 Printer Attachment, First Printer	4,750	30.00	189	172
8076	Integrated 3203-4 Printer Attachment, Second Printer	4,750	30.00	189	172
8637	Universal Character Set Adapter	1,630	8.00	42	38
For 3148 Processing Unit (Model 148):					
1450	Block Multiplexer Additional Subchannel	No charge	No charge	No charge	No charge
1850	Channel-to-Channel Adapter	12,510	14.00	342	311
2150	Control Store Extension	10,440	11.00	308	280
2152	Expanded Control Store	16,770	22.50	495	450
3274	Direct Control	5,640	4.00	153	139
4457	1401/1440/1460 Compatibility	No charge	No charge	No charge	No charge
4458	1401/1440/1460, 1410/7010 Compatibility	No charge	No charge	No charge	No charge
4660	Integrated Storage Control	50,580	101.00	1,183	1,075
4953	128 Additional Multiplexer Subchannels	No charge	No charge	No charge	No charge
4954	256 Additional Multiplexer Subchannels	No charge	No charge	No charge	No charge
6111	Register Expansion for 4660 Storage Control	828	4.00	29	26
8075	Integrated 3203-4 Printer Attachment, First Printer	4,750	30.00	189	172
8076	Integrated 3203-4 Printer Attachment, Second Printer	4,750	30.00	189	172
8100	Two-Channel Switch	8,845	10.00	228	208
3621-3622	Emergency Power Off Control	No charge	No charge	No charge	No charge
For 3155 Processing Unit (Model 155):					
1433	Third Block Multiplexer Channel	14,970	12.00	450	—
1434	Fourth Block Multiplexer Channel	13,930	9.00	420	—
1435	Fifth Block Multiplexer Channel	7,005	4.50	208	—

*Rental prices include equipment maintenance.

IBM System/370

EQUIPMENT PRICES

		Purchase Price	Monthly Maint.	Rental (short-term lease)*	Rental (4-year lease)*
PROCESSOR FEATURES AND CHANNELS (Continued)					
1850	Channel-to-Channel Adapter	13,930	8.00	420	—
3274	Direct Control	3,425	4.00	119	—
3700	Extended Precision Floating Point	9,615	16.00	208	—
3950	IBM 1401/1440/1460/7010 Compatibility	18,290	16.00	479	—
4990	Second Byte Multiplexer Channel	14,970	12.00	450	—
5450	OS/DOS Compatibility	11,430	16.00	299	—
7117	7070/7074 Compatibility	49,390	58.50	1,075	—
7844	Adapter for 3210 1 Printer-Keyboard	8,240	8.00	179	—
7845	Adapter for 3210 2 Printer-Keyboard	9,315	8.00	202	—
7855	Adapter for 3215 Printer-Keyboard	10,910	8.00	239	—
3210	Console Printer-Keyboard; 15 char./sec.: Model 1; for local use	5,935	146.00	205	186
	Model 2; for remote use	6,100	155.00	211	192
3215	Console Printer-Keyboard; 85 char./sec.	8,990	105.00	235	214
For 3158 and 3158-3 Processing Units (Models 158 and 158-3)					
1433	Third Block Multiplexer Channel	16,160	14.00	486	442
1434	Fourth Block Multiplexer Channel	15,040	11.00	453	412
1435	Fifth Block Multiplexer Channel	7,565	5.00	224	204
1850	Channel-to-Channel Adapter	15,040	9.00	453	412
2150	Control Store Extension (prerequisite for 7220)	26,320	23.00	618	562
2151, 2152	Expanded Control Storage	15,900	23.00	374	340
3274	Direct Control	3,705	4.00	129	117
3700	Extended Precision Floating Point	No charge	No charge	No charge	No charge
3950	IBM 1401/1440/1460/1410/7010 Compatibility	No charge	No charge	No charge	No charge
4650	Integrated Storage Controls (for 3330 Series)	97,000	258.00	2,261	2,055
4990	Second Byte Multiplexer Channel	16,160	14.00	486	442
5450	OS/DOS Compatibility	No charge	No charge	No charge	No charge
5552	Processor Attachment Feature for APS	2,700	15.00	94	85
5760	Power Warning	5,725	1.00	149	135
6111	Register Expansion for 4650 Storage Control	1,660	8.50	56	61
7117	7070/7074 Compatibility	No charge	No charge	No charge	No charge
7220	Staging Adapter for ISC	104,000	245.00	2,426	2,205
7730	System/370 Extended	13,000	4.00	750	682
7731	System/370 Extended, Additional	4,000	2.00	231	210
7820	3056 Remote Console Attachment Feature	2,545	4.00	53	48
7840	3213 Console Printer Attachment	5,545	1.00	119	108
7905	Two-Channel Switch for Integrated Storage Control	17,780	23.00	413	375
3621-3622	Emergency Power Off Control	No charge	No charge	No charge	No charge
3625	Emergency Power Off Panel Expansion	No charge	No charge	No charge	No charge
6148	Remote Switch Attachment	No charge	No charge	No charge	No charge
8740	Virtual Machine Assist	No charge	No charge	No charge	No charge
8750	OS/VS1 Extended Control Program Support	No charge	No charge	No charge	No charge
3213	Console Printer; 85 char./sec.	7,635	105.00	246	224
For 3165 Processing Unit (Model 165):					
1432	Buffer Expansion (to 16K bytes)	77,160	52.00	1,690	—
3850	Extended Channels	24,640	66.00	538	—
4520	High-Speed Multiply	135,150	104.00	2,955	—
7117	IBM 7070/7074 Compatibility	140,350	155.00	3,075	—
7118	IBM 7080 Compatibility	140,350	155.00	3,075	—
7119	IBM 709/7090/7094 II Compatibility	140,350	155.00	3,075	—
For 3168 and 3168-3 Processing Units (Models 168 and 168-3)					
1435	Buffer Expansion (to 16K bytes)	83,340	65.50	1,826	1,660
2150	Control Store Extension (prerequisite for 7220)	26,320	23.00	618	562
2151, 2152	Expanded Control Storage	15,900	23.00	374	340
3855	Extended Channels	26,610	83.00	581	528
4525	High-speed Multiply	145,950	131.00	3,185	2,895
4650	Integrated Storage Controls (for 3330 Series)	97,000	258.00	2,261	2,055
6111	Register Expansion for 4650 Storage Control	1,600	8.00	55	50
7127	IBM 7070/7074 Compatibility	151,600	197.00	3,317	3,015
7128	IBM 7080 Compatibility	151,600	197.00	3,317	3,015
7129	IBM 709/7090/7094 II Compatibility	151,600	197.00	3,317	3,015
7220	Staging Adapter for ISC	104,000	245.00	2,426	2,205
7730	System/370 Extended	65,000	50.00	3,751	3,410
7850	3213 Integrated Printer Adapter; 168-3 only	2,425	2.00	75	68
7905	Two-Channel Switch for Integrated Storage Control	17,780	23.00	413	375
2151-2152	Emergency Power Off Control	No charge	No charge	No charge	No charge
MASS STORAGE					
2305	Fixed-Head Storage Facility: Mod. 1; 5.4 million bytes	125,350	480.00	5,765	4,843
	Mod. 2; 11.2 million bytes	99,540	457.00	4,590	3,856
2835	Storage Control: Mod. 1; for 2305 Mod. 1	76,860	286.00	3,405	2,860
	Mod. 2; for 2305 Mod. 2	63,630	244.00	2,835	2,381

*Rental prices include equipment maintenance.

IBM System/370

EQUIPMENT PRICES

		Purchase Price	Monthly Maint.	Rental (short-term lease)*	Rental (12-month lease)*	Rental (24-month lease)*
MAGNETIC TAPE INPUT/OUTPUT (Continued)						
3211	Single Density Feature (for 3410 & 3411)	1,835	9.50	62	57	52
3221	Dual Density Feature (for 3410 & 3411)	2,645	38.00	92	85	77
7360	System/360/370 Attachment (required on 3411)	4,625	21.00	173	159	145
7361	Model 115 or 125 Attachment (for 3411)	3,080	5.00	114	105	96
3803	Tape Control:					
	Model 1; for 3420 Model 3, 5, and 7 drives	23,670	114.00	794	730	677
	Model 2; for 3420 Model 4 through 8 drives	39,420	157.00	1,155	1,063	970
5310	9-Track NRZI Feature (permits connection of 800-bpi drives to 3803-2)	3,530	1.50	114	105	96
6320	7-Track NRZI Feature (permits connection of 7-track drives to 3803-2; 5310 is prerequisite)	1,735	1.50	56	52	47
	Multiple Tape Control Switches (for switching up to sixteen 3420 tape drives between up to four 3803 control units):					
1792	For 2 Tape Controls	7,020	11.50	233	214	196
1793	For 3 Tape Controls	8,955	18.00	300	276	252
1794	For 4 Tape Controls	10,530	18.00	351	323	295
7850	3803-2 Attachment for 2860 Selector Channel	1,140	1.00	23	—	—
3551	Dual Density Feature (for 3803)	2,630	3.00	86	79	72
6408	7-Track Feature (for 3803)	2,630	3.00	86	79	72
8100	Two-Channel Switch (for 3803)	5,265	5.50	173	159	145
3420	Magnetic Tape Units:					
	Mod. 3; 120,000 bytes/sec at 1600 bpi	13,660	95.00	457	420	384
	Mod. 4; 470,000 bytes/sec at 6250 bpi	21,960	95.00	637	586	535
	Mod. 5; 200,000 bytes/sec at 1600 bpi	18,320	104.00	614	565	516
	Mod. 6; 780,000 bytes/sec at 6250 bpi	25,650	104.00	737	678	619
	Mod. 7; 320,000 bytes/sec at 1600 bpi	20,520	124.00	727	669	611
	Mod. 8; 1,250 bytes/sec at 6250 bpi	28,440	152.00	875	805	735
6420	6250 bpi Density Feature (for 3420 Models 4, 6 and 8)	2,295	41.00	63	58	53
6425	6250/1600 bpi Density Feature (for 3420 Models 4, 6, and 8)	3,160	49.50	91	84	76
6631	Single Density Feature (for Models 3, 5, and 7)	3,290	28.00	108	99	91
3550	Dual Density Feature (for Models 3, 5, and 7)	4,245	47.00	140	129	118
6407	7-Track Feature (for Models 3, 5, and 7)	3,290	47.00	108	99	91
DISKETTE INPUT/OUTPUT						
3540	Diskette Input/Output Unit:					
	Model B1; one drive	22,870	42.50	712	—	606**
	Model B2; two drives	34,830	59.00	1,074	—	914**
PUNCHED CARD INPUT/OUTPUT						
1442	Card Read Punch (with control), Mod. 1; 400/91 cpm	19,990	174.00	694		
2501	Card Reader (with control):					
	Mod. B1; 600 cpm	16,310	92.00	352		
	Mod. B2; 1000 cpm	16,570	100.00	433		
2520	Card Punch (with control):					
	Mod. B2; 500 cpm	39,340	308.00	1,100		
	Mod. B3; 300 cpm	39,010	247.00	850		
2540	Card Read Punch; 1000/300 cpm (requires 2121 control unit,	36,920	225.00	966		
2560	Multi-Function Card Machine, Model A1; reads 500 cpm, punches 160 col/sec (for Model 125 only)	21,230	209.00	838		
	Card Print Feature for 2560 Model A1:					
1575	First Two Lines	4,625	28.00	180		
1576	Second Two Lines	4,625	28.00	180		
1577	Third Two Lines	4,625	28.00	180		
3504	Card Reader (for Model 125 only):					
	Model A1; 800 cpm	21,210	113.00	636	—	541**
	Model A2; 1200 cpm	22,250	152.00	772	—	657**
3921	51/80-Column Interchangeable Read Feed (for 3504 Model A2 only)	5,300	56.00	165	—	140**
5450	Optical Mark Read Feature (for 3504)	8,420	52.50	244	—	208**
6555	Selective Stacker Feature (for 3504)	2,375	9.50	63	—	54**
3505	Card Reader:					
	Model B1; 800 cpm	29,940	167.00	768		
	Model B2; 1200 cpm	30,980	228.00	912		
5450	Optical Mark Read (for 3505)	8,420	67.50	248		
6555	Selective Stacker (for 3505)	2,375	13.00	66		
8103	3505 Punch Adapter (for 3505)	5,300	5.00	134		
8105	3525 Read/Punch Adapter (for 3505)	5,830	6.00	169		
8100	3525 Card Print Control (for 3505)	3,175	6.00	75		
3525	Card Punch:					
	Model P1; 100 cpm	21,210	100.00	542		
	Model P2; 200 cpm	22,040	134.00	687		
	Model P3; 300 cpm	22,870	167.00	829		
1533	Card Read Feature (for 3525)	6,360	25.00	161		
1421	Basic Card Print	13,930	99.00	350		
5273	Multi-Line Card Print (for 3525)	1,140	28.50	96		
8339	Two-Line Card Print (for 3525)	727	4.50	15		

*Rental prices include equipment maintenance.

**Extended Term Plan (other 12-month and 24-month lease prices are for Fixed-Term Plan).

IBM System/370

EQUIPMENT PRICES

		Purchase Price	Monthly Maint.	Rental (short-term lease)*	Rental (12-month lease)*	Rental (24-month lease)*
PUNCHED CARD INPUT/OUTPUT (Continued)						
5425	Multi-Function Card Unit (for Model 125 only):					
	Model A1; reads 250 cpm, punches 60 cpm, prints 60 cpm	15,560	215.00	785	—	668**
	Model A2; reads 500 cpm, punches 120 cpm, prints 120 cpm	18,960	424.00	1,022	—	870**
PRINTERS						
2821	Control Unit:					
	Mod. 1 for one 2540 & one 1403	41,770	83.00	1,135	1,044	953
	Mod. 2; for one 1403	25,900	63.00	707	650	594
	Mod. 3; for two 1403's	51,690	129.00	1,410	1,297	1,184
	Mod. 5; for one 2540 & two 1403's	67,670	146.00	1,835	1,688	1,541
	Mod. 6; for one 2540 only	14,210	182.00	517	476	434
3615	1100 lpm Printer Adapter (for 2821; required for 1403 Mod. 3 or N1)	2,685	1.50	86	79	72
7945	Third Printer Control (for 2821 Mod. 3 or 5)	21,490	11.00	589	542	495
8100	Two-Channel Switch (for 2821)	9,425	13.50	233	214	196
8637	Universal Character Set Adapter (for 2821)	684	4.50	16	15	13
1403	Printer:					
	Mod. 2; 600 lpm; 132 print positions	22,000	339.00	970	892	815
	Mod. 7; 600 lpm; 120 print positions	21,140	263.00	815	750	685
	Mod. N1; 1100 lpm; 132 print positions	38,140	392.00	1,135	1,044	953
1416	Interchangeable Train Cartridge (required for 1403 Mod. N1)	2,665	Time & mat'l.	106		
4740	Interchangeable Chain Cartridge Adapter (for 1403 Mod. 2 or 7)	2,030	No charge	92	85	77
8640	Universal Character Set Feature (for 1403 Mod. N1)	426	2.00	10	9	8
8641	Universal Character Set Feature (for 1403 Mod. 2)	299	2.00	10	9	8
1443	Printer (with control); Mod. 1; 240 lpm	41,000	171.00	1,000	920	840
3211	Printer; 2000 lpm, 132 print positions	50,900	586.00	2,100	1,932	1,764
3216	Interchangeable Train Cartridge (for 3211)	10,530	294.00	431		
5554	18 Additional Print Positions (for 3211)	2,050	11.50	65	60	55
3811	Control Unit (for 3211 Printer)	22,460	198.00	926	852	778
5553	18 Additional Print Positions (for 3811)	752	7.00	22	20	18
3203	Printer:					
	Model 1; 600 lpm; for Models 115, 115-2, 125, and 125-2	27,360	238.00	1,086	—	924**
	Model 2; 1200 lpm; for Models 115, 115-2, 125, and 125-2	35,280	310.00	1,422	—	1,210**
	Model 4; 1200 lpm; for Models 138 and 148	35,280	310.00	1,422	—	1,210**
1416	Interchangeable Train Cartridge (required on 3203 Model 1 or 2)	2,655	Time & mat'l.	106		
5203	Printer, Model 3	10,880	158.00	512		
4740	Interchangeable Train Cartridge	2,145	40.50	129		
5558	24 Additional Print Positions	1,180	2.50	61		
5559	12 Additional Print Positions	587	No charge	30		
5560	36 Additional Print Positions	1,750	2.50	92		
5213	Printer, Model 1; optional Console Printer for Model 115 and Model 125	4,115	66.00	187		
3286-2	66-cps Printer for Models 138 and 148	6,305	54.00	187		
3800	Printing Subsystem	310,000	445.00	8,090	—	6,885**
5401	Additional Character Generation Storage	3,720	13.50	88	—	75**
8170	Two-Channel Switch	8,140	10.50	234	—	199**
1490	Burster-Trimmed-Stacker	44,640	120.00	1,216	—	1,035**
PAPER TAPE INPUT/OUTPUT						
1017	Paper Tape Reader (120 char/sec):					
	Mod. 1; reads strips only	2,135	18.00	56		
	Mod. 2; reads strips or reels	3,265	23.00	85		
1018	Paper Tape Punch (120 char/sec)	4,950	55.00	141		
2826	Paper Tape Control, Mod. 1; for up to two 1017's and/or 1018's	13,140	33.00	311		
5801	Punch Adapter; for first 1018 on 2826 Mod. 1	4,535	8.50	109		
5802	Punch Adapter; for second 1018 on 2826 Mod. 1	3,870	5.00	92		
6101	Reader Adapter; for first 1017 on 2826 Mod. 1	3,870	7.50	92		
6102	Reader Adapter; for second 1017 on 2826 Mod. 1	3,175	5.00	76		
2671	Paper Tape Reader (100 char/sec)	5,785	35.50	163		
2822	Paper Tape Reader Control (for one 2671)	8,630	12.50	246		
OPTICAL AND MAGNETIC READERS						
1287	Optical Reader:					
	Mod. 1; reads documents only	89,280	1,010.00	3,070		
	Mod. 2; reads documents and journal tape	102,240	1,135.00	3,515		
	Mod. 3; reads documents only	134,640	1,450.00	4,730		
	Mod. 4; reads documents and journal tape	150,480	1,515.00	5,175		
	Mod. 5; reads handprinted digits from documents only	99,360	1,465.00	3,850		
3945	Farrington 7B Font (for 1287)	799	1.00	28		
4470	1428 & USASCOCR Font (for 1287)	799	1.00	28		

*Rental prices include equipment maintenance.

**Extended Term Plan (other 12-month and 24-month lease prices are for Fixed-Term Plan).

IBM System/370

EQUIPMENT PRICES

		Purchase Price	Monthly Maint.	Rental (short-term lease)*	Rental (12-month lease)*	Rental (24-month lease)*
OPTICAL AND MAGNETIC READERS (Continued)						
5300	NCR Optical Type Font (for 1287)	3,204	5.50	109		
5370	Numeric Handwriting (for 1287)	25,632	63.00	878		
5479	Optical Mark Reading (for 1287)	3,204	5.50	109		
1288	Optical Page Reader	163,440	1,340.00	5,140		
3850	Expanded Symbol Set (for 1288)	2,240	3.50	73		
5370	Numeric Handwriting (for 1288)	38,448	82.00	1,050		
5479	Optical Mark Reading (for 1288)	3,772	7.50	104		
6550	Serial Numbering for 1288 or 1287)	9,144	66.00	328		
3881	Optical Mark Reader:					
	Mod. 1; for on-line use with Model 135 or 145	51,390	158.00	1,575	—	1,340**
	Mod. 2; for off-line use with 3410 Mod. 1 Magnetic Tape Unit	46,800	125.00	1,434	—	1,220**
1471	BCD Read (for 3881)	2,150	1.50	63	—	54**
3450	Document Counters (for 3881)	853	2.00	22	—	19**
3550	Dual Density (for 3881 Mod. 2 only)	5,410	0.50	163	—	139**
3801	Expanded Storage (for 3881)	2,150	0.50	63	—	54**
6451	Serial Numbering (for 3881)	6,325	28.50	192	—	163**
3886	Optical Character Reader:					
	Model 1; on-line	83,520	523.00	2,720	—	2,315**
	Model 2; off-line	89,910	523.00	2,926	—	2,490**
3210	Additional Data Storage (for 3886)	844	0.50	26	—	22**
4520	Additional Hopper & Stacker Capacity (for 3886)	6,785	27.50	219	—	186**
4610	Additional Instruction Storage (for 3886)	4,220	11.50	137	—	117**
4720	Line Marking (for 3886)	4,680	11.50	150	—	128**
5340	Numbering/Marking Adapter (for 3886)	1,280	0.50	36	—	31**
5360	Numeric Handprinting (for 3886)	5,510	31.50	177	—	151**
6450	Serial Numbering (for 3886)	6,785	27.50	219	—	186**
3890	Document Processor:					
	Model A1; 6 pockets	256,800	178.00***	4,494	—	3,825
	Model A2; 12 pockets	299,800	212.00***	5,211	—	4,435
	Model A3; 18 pockets	342,800	246.00***	5,928	—	5,045
	Model A4; 24 pockets	385,800	280.00***	6,645	—	5,655
	Model A5; 30 pockets	428,800	314.00***	7,361	—	6,265**
	Model A6; 36 pockets	471,800	348.00***	8,078	—	6,875
4666	Item Numbering/Endorsing (for 3890)	46,290	164.00***	740	—	630**
6370	System/370 Attachment (for 3890)	4,070	9.75	103	—	88**
1255	Magnetic Character Reader:					
	Mod. 1; 500 dpm, 6 stackers	35,460	288.00	949		
	Mod. 2; 750 dpm; 6 stackers	40,590	460.00	1,155		
	Mod. 3; 750 dpm, 12 stackers	55,260	606.00	1,520		
3215	Dash Symbol Transmission (for 1255)	35	No charge	56 (1-time)		
4380	51-Column Card Sorting (for 1255)	661	No charge	16		
4520	High-Order Zero & Blank Selection (for 1255 Mod. 3 only)	1,315	5.00	34		
7060	Self-Checking Numbers (for 1255)	2,135	2.50	56		
6360	System/360/370 Adapter (required on 1255)	19,800	42.50	531		
1419	Magnetic Character Reader; 1600 dpm	120,100	480.00	2,795		

GRAPHIC DISPLAYS

2250	Display Unit					
	Mod. 1; connects directly to a channel	57,530	207.00	1,240		
	Mod. 3; requires 2840 Display Control	34,830	234.00	1,825		
1245	Alphanumeric Keyboard (for 2250 Mod. 1 or 2)	3,910	4.50	85		
4785	Light Pen (for 2250 Mod. 1 or 2)	5,220	13.50	113		
1001	Absolute Vectors (for 2250 Mod. 2)	15,210	12.50	400		
1002	Absolute Vectors and Control (for 2250 Mod. 1)	17,410	13.50	458		
1498	Buffer; 4,096 bytes (for 2250 Mod. 1)	18,290	8.50	400		
1499	Buffer; 8,192 bytes (for 2250 Mod. 1)	26,110	12.50	571		
1880	Character Generator (for 2250 Mod. 1)	19,610	19.00	429		

NOTE: Numerous IBM terminals can be connected to a System/370 in local and/or remote configurations. For details and prices, please see Reports 70D-491-11 through 70D-491-45 in the Peripherals section.

AUDIO RESPONSE

7770	Audio Response Unit (up to 4 lines)	48,370	57.50	1,355		
4677	I/O Line Expander (for 7770; up to 4 more lines)	7,065	18.00	199		
4679	I/O Line Panel (for 7770; one 4679 required for each 8 lines beyond the first 8)	3,020	2.50	85		
4668	I/O Line Frame (for 7770; required for over 16 lines)	8,065	3.00	227		
8721	Six Additional Vocabulary Words (for 7770)	4,030	3.00	113		

COMMUNICATION CONTROLS

NOTE: For complete pricing data on the 3704 and 3705 Communications Controllers, please see Reports 70D-491-31 and 70D-491-32.

*Rental prices include equipment maintenance.
 **Extended Term Plan (other 12-month and 24-month lease prices are for Fixed-Term Plan).
 ***Basic maintenance charge. Additional charges per meter hour.

IBM System/370

SOFTWARE PRICES

PROGRAM PRODUCTS		Programming Service	Monthly Charge
5735-RC1	Advanced Communications Function (ACF): ACF/TCAM	A	\$200
5746-RC3	ACF/TCAM with Multisystem Network Facility	A	800
	ACF/VTAM for DOS/VS	A	125
	ACF/VTAM for DOS/VS with MNF		325
5735-RC2	ACF/VTAM for OS/VS	A	200
	ACF/VTAM for OS/VS with MNF		600
5735-XX3	ACF for System Support Program (SSS)	A	50
5735-XX1	ACF/NCP/VS for NCP/VS	A	120
5746-XE2	Advanced Function—DOS/VS	Central and Local Service	200
5748-AP1	APL-VS	A	400
5734-AS1	Assembler H	C	247
5748-XX1	BASIC-VS	A	385
5736-CB2	COBOL-DOS V3 Compiler	A	63
5736-LM2	COBOL-DOS Library	A	22
5746-CB1	COBOL-DOS/VS Compiler and Library	A	141
5746-LM4	COBOL-DOS/VS Library	A	28
5734-CB2	COBOL-OS V4 Compiler and Library	A	201
5734-LM2	COBOL-OS V4 Library	A	68
5740-CB1	COBOL-OS/VS Compiler and Library	A	236
5740-LM1	COBOL-OS/VS Library	A	78
5734-CB4	COBOL-Interactive Debug	B	254
5740-UT1	Direct Access Storage Dump Restore (DASDR)	A	130
5748-XC2	Display Management System/3790	Central Service & Local Assistance	300
	Communication Interface Monitor (CIM) Feature		200
5734-F03	FORTRAN IV-OS Compiler (H Extended)	A	300
5734-LM3	FORTRAN IV-OS Library (Mod 11)	A	102
5734-F02	FORTRAN IV-G1 Compiler	A	74
5734-LM1	FORTRAN IV-OS Library (Mod 11)	C	71
5734-F01	FORTRAN IV-OS Code and Go Compiler	C	302
5734-F05	FORTRAN IV-Interactive Debug	B	173
5746-LM3	FORTRAN IV-DOS Library Option 1	A	33
5748-F02	FORTRAN-VSPC	A	400
5740-XRB	Hierarchical Storage Management (HSM)	Central and Local Service	350
5740-DC1	Installation Management: Change Management/Tracking (CM/T)	B	400
5740-DC4	Change Tracker (CT)	B	150
5740-DC2	DP Accounting for IMS/VS (DPA)	B	350
5740-DC3	Service Level Reporter (SLR)	B	400
5740-XE1	MVS/System Extensions	Central and Local Service	1,250
5740-XR8	Network Job Entry Facility for JES2	A	500
5735-XX2	Network Operation Support Program	A	125
5740-XT7	Operations Planning and Control—Entry (OPC-Entry)	B	600
5736-PL3	PL/1-DOS Optimizing Compiler and Libraries	A	283
5736-PL1	PL/1-DOS Optimizing Compiler	A	210
5736-LM4	PL/1-DOS Resident Library	A	45
5736-LM5	PL/1-DOS Transient Library	A	28
5734-PL2	PL/1-OS Checkout Compiler	A	392
	Conversational Monitor System Feature		NC
5734-PL3	PL/1-OS Optimizing Compiler and Library	A	283
5734-PL1	PL/1-OS Optimizing Compiler	A	210
5734-LM4	PL/1-OS Resident Library	A	45
5734-LM5	PL/1-OS Transient Library	A	28
5740-XXH	Resource Access Control Facility (RACF)	A	874
5740-XXM	Resource Measurement Facility (RMF)	A	250
5740-XY4	RMF V2	Central and Local Service	250
5736-RG1	RPG II-DOS Auto Report Feature	A	109
5746-RG1	RPG II DOS/VS	A	33
		Central and Local Service	100
5735-CV1	RPG II System/3 DOS/VS Conversion Preprocessor	Central Service	600 (One time)
5743-SM1	Sort/Merge-DOS	C	43
5746-SM1	Sort/Merge-DOS/VS	A	68
5734-SM1	Sort/Merge-OS	C	66
5740-SM1	Sort/Merge-OS/VS	A	181
5746-SM2	Sort/Merge VS-DOS/VS	A	150
5734-CP2	TSO-Assembler Program	C	32
5734-CP1	TSO-COBOL Prompter	A	32
5740-XT6	TSO-Command	A	100
5734-UT1	TSO-Data Utilities	C	159
5734-CP3	TSO-OS FORTRAN Prompter	C	32
5740-XT8	TSO 3270 Display Support and Structured Programming Facility (SPF) Version 2	B	425
5740-XE2	TSO 3270 Extended Display Support Session—OS/VS2 MVS	Central Service & Local Assistance	200

IBM System/370

SOFTWARE PRICES

		<u>Programming Service</u>	<u>Monthly Charge</u>
PROGRAM PRODUCTS (Continued)			
5748-UT2	Utility Offline 3800	Central and Local Service	60
5736-RC3	VIDEO/370-DOS	A	224
	CICS Feature	A	68
5734-RC5	VIDEO/370-OS	A	224
	CICS Feature	A	68
	Virtual Storage Personal Computing (VSPC):		
5746-XR3	VSPC-DOS/VS	A	900
5740-XR5	VSPC-OS/VS1	A	1,100
5740-XR6	VSPC-OS/VS2 (MVS)	A	1,200
5740-XR9	VS TSIO	B	230
5748-XE1	VM/System Extensions	Central and Local Service	1,250
5748-XX8	VM/Basic System Extension	Central and Local Service	125
APPLICATION PROGRAMS			
5736-F32	Active Certificate Information (ACIP) (DOS)	C	330
5736-N11	Advanced Life Information System (ALIS) Version 2 (DOS)	C	551
5740-XX3	Advanced Text Management System (ATMS)	B	567
5746-XX4	OS	B	396
5740-XXV	DOS/VS	B	850
5746-XXG	ATMS-II/OS/VS	B	590
5736-N14	ATMS-II/DOS/VS	B	231
	Application Program Generator (APG/7):		
5734-XC3	OS	B	165
5736-XC3	DOS	B	165
5736-P71	Array Processing Subroutine	C	330
5736-P72	System/360 Model 44 (OS)	C	330
5746-XN1	Automatically Programmed Tool (APT)	B	226
5740-M52	Basic Contouring	B	346
5740-M53	Intermediate Contouring	B	578
	Advanced Contouring		
5734-XX9	Bill Processor Systems—IMS/360 Bridge	B	173
5746-F31	Brokerage Accounting System Elements (BASE) (DOS/VS)	C	963
5736-G25	Budget Accounting Information System (BACIS)	C	300
5734-F51	Budgets & Plans Generator (BUDPLAN)	C	173
5746-F51	(OS)	C	170
5734-XMB	(DOS/VS)	B	55
5736-M12	Capacity Planning	C	247
5734-M54	Finite Loading (DOS)	C	302
5736-M11	Finite Loading (OS)	C	82
5734-M53	Infinite Loading (DOS)	C	110
5748-XX3	Infinite Loading (OS)	B	315
	Chained File—DL/1 Bridge		
5734-F11	Check Processing Control System (CPCS)	B	1,000
	3890 Feature		400
5736-N13	Consolidated Functions Ordinary II (CFO II)	B	346
5736-D31	Consumer Goods System (COGS)	C	165
5734-D32	Allocation (DOS)	C	165
5736-D32	Allocation (OS)	C	220
5734-D33	Forecasting (DOS)	C	220
	Forecasting (OS)		
5734-XS9	Continuous System Modeling Program III (CSMP III) (OS)	C	98
5736-E11	Coursewriter III (DOS)	B	231
5734-E13	(OS)	B	317
5736-XX6	Customer Information Control System (CICS)	A	235
5736-XX7	DOS/ENTRY	A	588
5734-XX7	DOS/STANDARD	A	823
5740-XX1	OS/STANDARD Version 2	A	1,000
	OS/VS	C	113
5746-XX3	FASTER Feature	A	475
	DOS/VS	C	113
	FASTER Feature		
5746-XXB	Extended Telecommunications	A	215
	Modules Feature (EXTM)		
5746-XXC	DB/DC Data Dictionary	B	290
5740-XXF	DOS/VS	B	580
5748-XX4	OS/VS	B	200
5736-XX4	Data Base Organization and Maintenance Processor	C	115
	DOS	C	85
	CICS Feature	C	105
5746-XX1	CICS/DASF Feature	A	346
5746-XX7	Data Language/1 DOS/VS	A	315
5746-XX2	Display Management System	B	360
5740-XX2	DOS/VS	B	475
	OS/VS		
5734-EE1	Electronic Circuit Analysis Program II (ECAP II) (OS)	C	187
5746-F12	Electronic Pymt./Check Proc. (DOSCHECK)	B	800
5740-U11	Energy Management System	B	4,865
	(Note: Charges are waived after payment of 60 consecutive months.)		

IBM System/370

SOFTWARE PRICES

APPLICATION PROGRAMS (Continued)		Programming Service	Monthly Charge
	EPIC:		
5735-E91	SOCRATES	B	192
5735-E92	FAST	C	104
5735-E93	Budget/Finance	B	121
5735-E94	Student	C	87
5736-T11	Fare Quote/Ticketing (DOS)	B	3,230
	Tariff Maintenance Feature		6,460
5736-D11	Fashion Reporter (DOS)	C	181
	FASTER:		
5736-G22	LC (DOS)	C	110
5736-G24	MT (DOS)	C	328
5734-G21	MT (OS)	C	520
5736-F12	Financial Terminal System	C	441
	Forecasting & Modeling System (FAMS):		
5736-XS4	DOS	C	231
5734-XS7	OS	C	231
	Freight and Equipment Reporting System (FERST/VS):		
5795-AAG	Message Switching DOS/VS	B	525
5795-AAJ	Equipment Control DOS/VS	B	1,470
5795-AAL	Freight Billing DOS/VS	B	1,470
5795-AAN	Rating/Rate Audit DOS/VS	B	1,680
5795-AAF	Message Switching OS/VS	B	525
5795-AAH	Equipment Control OS/VS	B	1,470
5795-AAK	Freight Billing OS/VS	B	1,470
5795-AAM	Rating/Rate Audit OS/VS	B	1,680
5734-XX1	Generalized Info. System/2 (OS)	A	520
	Update and Create Feature		453
	Formal Report Feature		113
	Hierarchic File Support Feature		141
	Utility Feature		85
	Edit and Encode Feature		85
	Teleprocessing Support Feature		56
	Control Statement Feature		45
	Arithmetic Statement Feature		22
	Processing Statement Feature		45
	File Modify Feature		56
	Extended Multi-File Support Feature		85
	DL/I Query Support Feature		170
5740-XX7	GIS/VS	A	907
	Advanced Query Feature		283
	Update & Create Feature		595
	Modify Feature		141
	General Purpose Simulation System V (GPSS V):		
5734-XS2	OS	B	63
5736-XS3	DOS	B	63
5734-XX2	Graphic Analysis of Three-Dimensional Data OS	C	330
	Health Care Support/Electrocardiogram Analysis:		
5736-H15	DOS	B	405
5734-H11	OS	B	405
5748-H11	Version 2	B	600
5746-H14	Health Care Support/Accounting	B	109
	Accounting Application Feature		231
	Information Management System (IMS) (OS):		
5734-XX6	Version 2	A	646
	Data Communication Feature		700
	Interactive Query Facility (IQF)		352
5740-XX2	IMS/VS	A	950
	Data Communication Feature		1,150
	IQF Feature		352
5734-XXC	Interactive Training System	B	247
	Expanded Course Structuring Feature		75
5734-M52	Inventory Control (OS)	C	201
5746-N11	Life Inquiry/Data Entry	B	840
	Machining and Display Application Program (MDAP):		
5740-XN2	OS/VS	C	340
5746-XN2	DOS/VS	C	340
5734-XM8	MATH/BASIC	B	50
	Mathematical Programming System Extended:		
5734-XM4	OS	B	150
	Generalized Upper Bounding		737
	Mixed Integer Programming		255
5740-XM3	OS/VS	B	420
	MIP Feature		367
5746-XM2	DOS/VS	B	367
	MIP Feature		315
5734-XP3	MINIPERT	C	165
5736-D41	Order Allocation System (DOS)	C	137
	PLANCODE/I:		
5746-XX9	DOS/VS	B	550
5740-XX8	OS/VS	B	550

IBM System/370

SOFTWARE PRICES

APPLICATION PROGRAMS (Continued)		Programming Service	Monthly Charge
5746-XXA	PLANCODE/S: DOS/VS	B	450
5740-XX9	OS/VS	B	450
	Planning System Generator (PSG):		
5736-XT1	PSG II (DOS)	C	87
5734-XT1	PSG II (OS)	C	87
5746-XT1	PSG II (DOS/VS)	B	147
	DL/1 Data Base Read Feature		73
5740-XT3	PSG II (OS/VS)	B	147
	DL/1 Data Base Read Feature		73
5740-XT5	PSG II/VS-TSO	B	240
5748-XT2	PS II/VS-CMS	B	270
5734-XM3	Procedure Library-Mathematics (PL-MATH) (OS)	C	102
	Program Customizer for 3600 Finance Communication System (PC/3600)		
5746-F11	DOS/VS	B	550
5740-F11	OS/VS	B	997
	Project Analysis and Control System (PROJACS):		
5740-XP1	OS/VS	B	
5746-XP1	DOS/VS	B	
	Main Processor		210
	Resource Allocation		105
	Network Preparation		52
	Cost Evaluation		52
5734-XP4	Project Management System IV (PMS IV)	B	57
	Cost Processor Feature		56
	Resource Allocation Processor Feature		226
	Extended Network Processor Feature		105
5736-N22	Property and Liability Information System (PALIS)	C	288
5736-N21	Additional File Facility (DOS)	C	346
5736-N24	Additional Functions (DOS)	C	259
5736-N25	Automobile Enhancements (DOS)	C	259
5734-M51	Homeowners Enhancements (DOS)	C	231
	Requirements Planning (OS)	C	33
	Connection Records Feature		
5736-M13	Requirements Planning	C	28
5734-F32	Interface (DOS)	B	2,425
5736-H12	Shared Laboratory Information System (SLIS) (DOS)	C	275
5736-M31	Shop Floor Control	C	115
5734-M31	(DOS)	C	179
5734-XXB	(OS)	C	275
5734-XA3	Simulation Language (SIMPL/I)	B	50
5734-XR3	Storage and Information Retrieval System	C	578
5740-XR1	STAIRS	B	737
5746-XR4	STAIRS/VS	B	600
5740-XT2	STAIRS/DOS/VS	B	288
5736-XM7	Subroutine Library-Mathematics	C	110
5740-XXC	(SL-MATH)	A	500
5734-F31	Telecommunications Control System (TCS)	B	2,890
5740-XXD	(OS)	A	1,250
5740-XY3	Advanced Function (TCS-AF)	A	300
5740-XY3	Ad. Com. Func. (TCS-ACF)—Networking	A	200
5746-XT4	Basic Product	B	900
5740-F12	Teleprocessing Network Simulator (TPNS)	B	500
	Trend Analysis		
5799-AEY	VANDL-1	B	378
	Vehicle Scheduling Program-Extended (VSPX):		
5736-XM3	(DOS)	C	115
5734-XM5	(OS)	C	201